

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....OCT 10 1980

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....OCT 10 1980

The applicant St. Gabriels Byzantine Catholic Church
2250 E. Maule Avenue, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89119, hereby make S application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.) Quasi-Municipal Church

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source.

2. The amount of water applied for is .03 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet Does Not Apply. acre-feet

3. The water to be used for Quasi-Municipal Church
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) Does Not Apply.

(b) Stockwater (state number and kinds of animals to be watered) Does Not Apply.

(c) Other use (describe fully under "No. 12. Remarks") Quasi-Municipal Church

(d) Power:

(1) Horsepower developed Does Not Apply

(2) Point of return of water to stream Does Not Apply

5. The water is to be diverted from its source at the following point: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 2,
T.22S. R.61E. M.D.B.&M. and bears North 68°49' West a distance of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
886 feet from the $\frac{1}{4}$ corner of Sections 1 & 2, T.22S., R.61E.
it should be stated.

6. Place of use within the Boundaries of the Southeast Quarter (SE $\frac{1}{4}$) of
Describe by legal subdivision, if on unsurveyed land it should be so stated.
the North East Quarter (NE $\frac{1}{4}$) of Section 2, Township 22 South (T.22S.)
Range 61 East (R.61E.) Mt. Diablo Base & Meridian.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Well, pump, Weltech Tank & Diversion
pipe system have been installed for several years.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... Estimate \$15,000.00
10. Estimated time required to construct works..... Well & Works have been constructed for several years for domicile use. Domicile is being converted to church use.
11. Estimated time required to complete the application to beneficial use..... As soon as approved by Nevada State Water Engineers Office.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Two Toilets are being added to present facilities. Other use will be lawn and shrubbery

Applicant.....

By..... s/James L. Hogan
2528 Sunrise Avenue
Las Vegas, Nevada 89101

Compared. ha/ bc..... gk/bc.....

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.03..... cubic feet per second, but not to exceed 0.657 million gallons annually.

Actual construction work shall begin on or before..... November 22, 1981

Proof of commencement of work shall be filed before..... December 22, 1981

Work must be prosecuted with reasonable diligence and be completed on or before..... November 22, 1982

Proof of completion of work shall be filed before..... December 22, 1982

Application of water to beneficial use shall be made on or before..... November 22, 1984

Proof of the application of water to beneficial use shall be filed on or before..... December 22, 1984

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed..... JAN 6 1983

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....

IN TESTIMONY WHEREOF, I..... WILLIAM J. NEWMAN

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this..... 22nd..... day of..... MAY.....

A.D. 19..... 81

WITHDRAWN BY APPLICANT AUG 23 1983